## NCPDP 5.1 Requirements for HPs DV1.1 2004 02 12.xls

Field		Mandatory or	1	Field	
Number	Field Name	Optional	Field Definition	Format	Definition/Format
	tion Header Segr	•	i ioia Doimiaioi.		
880-K4	Text Indicator	M	This field is used to identify the beginning and ending of the data record.	AN 1	Start of Test (Stx) = X'02'
701	Segment Identifier	М	Unique record type required on Enrollment/Batch Transaction Standard.	AN 2	00 = File Control (header)
880-K6	Transmission Type	М	A value to define the type of transmission being sent.	AN 1	T = Transaction Submitting batch
880-K1	Sender ID	М	An identification number assigned to the sender of the data by the processor/receiver of the data.	AN 24	Submitter ID The Interchange Sender ID consists of a 3-byte acronym assigned by AHCCCS followed by the submitter's Tax ID [9], Health Plan Id [6], Tape Submitter Number [3] and the Input Mode [1]. ABC8612345671111112221
806-5C	Batch Number	М	This number is assigned by the processor/sender.  Format=CCYYDDD CC=Century YY=Year DDD=Julian date Examples: 2ØØ2252=September 9, 2ØØ2	N 7	Must be unique within all transmissions (i.e., files) submitted to AHCCCS by the same entity. AHCCCS tracks this number to guard against duplicate file submissions. The batch number must be identical to the batch number in the Trailer record.  Returned within the response transaction.
880-K2	Creation Date	M	Date the file was created.	N 8	Format = CCYYMMDD
880-K3	Creation Time	M	Time the file was created.	N 4	Format = HHMM
702	File Type	М	Code identifying whether the file contained is test or production data.	AN 1	P = Production T = Test
102-A2	Version/Release Number	М	Code uniquely identifying the transmission syntax and corresponding Data Dictionary.	AN 2	Version/Release of Header Data 11
880-K7	Receiver ID	M	An identification number of the endpoint receiver of the data file.	AN 24	AHCCCS Receiver ID  "AHCCCS" followed by the nine-digit AHCCCS Federal Tax ID number ("AHCCCS866004791")
880-K4	Text Indicator	M		AN 1	End of Test (Etx) = X'03
Detail D	ata Record				, ,
880-K4	Text Indicator	М	This field is used to identify the beginning and ending of the data record.	AN 1	Start of Test (Stx) = X'02'
701	Segment Identifier	М	Unique record type required on Enrollment/Batch Transaction Standard.	AN 2	G1 = Detail Data Record
880-K5	Transaction Reference Number	М	Assigned by the pharmacy to uniquely identify each claim within the file	AN 10	Determined by Provider Must be unique within the file Returned in the response
	NCPDP Data Record				
880-K4	Text Indicator	М	This field is used to identify the beginning and ending of the data record.	AN 1	End of Test (Etx) = X'03
<b>Trailer F</b>	Record				
880-K4	Text Indicator	М	This field is used to identify the beginning and ending of the data record.	AN 1	Start of Test (Stx) = X'02'

## NCPDP 5.1 Requirements for HPs DV1.1 2004 02 12.xls

Field Number	Field Name	Mandatory or	Field Definition	Field Format	Definition/Format
		Optional			
701	Segment Identifier	М	Unique record type required on Enrollment/Batch Transaction Standard.	AN 2	99 = File Trailer
806-5C	Batch Number	М	This number is assigned by the processor/sender.  Format=CCYYDDD CC=Century YY=Year DDD=Julian date Examples: 2ØØ2252=September 9, 2ØØ2	N 7	Must match batch number in the Header record
751	Record Count	М	Record count within submitted enrollment batch files. This count will be a different value depending upon the enrollment segment in which this count is kept.	N 10	
504-F4	Message	М	Free form message.	AN 35	
880-K4	Text Indicator	М	This field is used to identify the beginning and ending of the data record.	AN 1	End of Test (Etx) = X'03